



TIMBER COLOURED SPIRIT STAIN

1 SCOPE

A transparent dye-based spirit type stain for wood. May be overcoated with a clear varnish. Available in a range of timber colours.

2 BACKGROUND

- To obtain a broad overview of the Australian Paint Approval Scheme (APAS), refer to APAS document AP-D001.
- To obtain an overview of restricted ingredients in APAS certified products, refer to APAS document AP-D123.
- To obtain the current list of APAS participating manufacturers (and suppliers) and resellers, refer to APAS document AP-D152.
- To obtain an overview of how to participate in the APAS, refer to APAS document AP-D177.
- APAS approval to this specification may be gained by compliance with the requirements detailed in this specification and those in APAS document AP-D192.

3 DESCRIPTION AND GUIDE FOR USERS

3.1 General Requirements

- A transparent dye-based spirit type stain for wood. May be overcoated with a clear varnish. Available in a range of timber colours.
- For changing and evening-out the colour of wood without obscuring the grain. Used on furniture and interior timberwork. Not intended for exterior use.

3.2 Sub-Classes

- This specification does not incorporate any sub-class.

3.3 Basis of this Specification

- This specification is based on AS 3730.24.
- Products approved under this specification comply with Paint Reference Number (PRN) B18 of AS/NZS 2311.

4 REFERENCED DOCUMENTS

- The following standards are referenced in this document:
 - AS/NZS 1580** – Paints and related materials: Methods of test.
 - AS/NZS 2311** – Guide to the painting of buildings
 - AS 3730.24** – Guide to the properties of paints for buildings, Part 24: Wood stain - Solvent-borne - Interior

These documents may be purchased through the Reference Standards Australia website:
<https://www.standards.org.au/>

- The Poisons Standard June 2021:** Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) No. 33, Part 2: Control on Medicines and Poisons, Section Seven / Appendix I Paint or Tinters

This document is available from the Australian Government Federal Register of Legislation website at:
<https://www.legislation.gov.au/Details/F2021L00650>

- The following APAS documents are referenced in this document:
 - AP-D001 Rules Governing How APAS® Operates
 - AP-D123 Restrictions on Ingredients in Product Formulations
 - AP-D152 APAS® Participating Manufacturers and Resellers
 - AP-D177 Rules Governing How Product Manufacturers participate in APAS®
 - AP-D181 Volatile Organic Compounds (VOC) Limits
 - AP-D192 Rules Governing APAS® Product Certification Scheme

All APAS documents are available for download from the APAS website: <https://vs.csiro.au/apas/documents/>

5 COMPOSITIONAL REQUIREMENTS

5.1 Binder

- This product type is typically considered a dye in spirit

5.2 Volatiles

- The volatile portion is typically comprised of spirit.
- For VOC content restrictions, refer to APAS document AP-D181.

5.3 Pigmentation

- The pigmentation shall consist of appropriate colouring pigments to impart the properties listed in clause 7, Table 1 below.

6 PRODUCT APPROVAL REQUIREMENTS

6.1 General Requirements

- The product and its application for approval shall comply with the relevant requirements of APAS document AP-D192 during the life of the approval.

6.2 Technical Requirements

- The product shall comply with **all** the requirements of clause 7, Table 1 below.
- The manufacturers own quality control schedule of tests and limits shall be allowed subject to the approval of the Executive Officer (EO), APAS.
- On request, the EO may request the results of the tests for a batch and compare these with previous batches.
- Density and non-volatile content by weight (NVCW) figures for each production batch of the approved product shall be within $\pm 3\%$ of the actual (not theoretical) figures quoted in the original product approval submission (APAS document AP-D139).



SPECIFICATION AP-S0111



TIMBER COLOURED SPIRIT STAIN

- e) Subject to compliance with all the requirements of this specification, the level of Approval appropriate to the application shall be given to the system.

6.3 Health and Safety Requirements

- a) Shall not be a Schedule 1, Schedule 2 or Schedule 3 paint (SUSMP).
- b) The manufacturer's Safety Data Sheet (SDS) must be studied closely prior to using the product and complied with during use of the product.
- c) Since the product contains spirit, the stain is flammable and should be stored away from all sources of heat or ignition. Good ventilation provided during use to minimise the risk of fire or explosion and the long-term toxic effects of absorption of the vapour into the lungs.
- d) To ensure minimal exposure to vapours, painting should not be carried out whilst the building is occupied. Exterior doors, windows and relevant interior connecting doors should be propped open to ensure adequate ventilation. Alternatively, forced air ventilation should be used to ensure adequate air changes.
- e) Products intended for sale in Australia shall comply with all the requirements of the SUSMP. Products intended for sale in other countries shall comply with all local WHS and environmental requirements.
- f) The product shall comply with all requirements of clause 6.3 and 6.4 of APAS document AP-D192.



SPECIFICATION AP-S0111



TIMBER COLOURED SPIRIT STAIN

7 TABLE 1: PERFORMANCE PROPERTIES

TEST	AS/NZS 1580 METHOD	REQUIREMENTS
General Requirements	AS 3730.24	Shall comply with all the requirements of clause 4 pertaining to normative testing requirements. All results shall be reported.
Determination of fastness to light of interior paint	482.1	When applied to a sealed white card and exposed for 12 months, colour change to be ≤ 2 .
VOC Content	APAS AP-D181	Refer to APAS document AP-D181 for method and limits. If the APAS specification is not listed on AP-D181, a declaration of VOC content is still required .



SPECIFICATION AP-S0111



TIMBER COLOURED SPIRIT STAIN

8 APPENDIX A

Document History

Status: Current
Version: 9
Date Published: 27-08-2021

Document Version No.:	Date Published:	Summary of Changes:
9	27-08-2021	<ul style="list-style-type: none">• General format change to clause 1• Updated background information in clause 2• Updated SUSMP information• Updated APAS website information
8	12-11-2020	<ul style="list-style-type: none">• Addition of Appendix A Document History and removal of the Editorial Note previously used in specification versions• Updated document to the current format• Updated internal and external document references and website details• Reinstated requirement to test products to AS 3730.24 clause 4• Inclusion of VOC Content requirement to Table 1 Performance Properties• Addition of "People + Product = Protection" to Footer
7	12-05-2003	<ul style="list-style-type: none">• Deleted reference to GPC numbering and incorporated a general format update
6	30-01-2001	<ul style="list-style-type: none">• Initiated the second stage of the move to new specification numbering with prominence given to the new number (previously GPC-M-111)